

SPECIMEN SUBMISSION GUIDELINES

HIV Diagnostics and Reference Laboratory
 US Military HIV Research Program, Walter Reed Army Institute of Research
 9100 Brookville Road, BLDG 508, Silver Spring, MD 20910

HIV-1 RNA Qualitative Assay (APTIMA) Test Specification

Test Name: APTIMA HIV-1 RNA Qualitative Assay				
Clinical Significance	Specimen Requirements	Transport/Storage Temperature	Test Approved For	Turn Around Time (After Receipt at HDRL)
<p>In vitro nucleic acid assay system for detection of HIV-1 in human plasma.</p> <p>Intended for use as an aid in diagnosis of HIV-1 infection, including acute or primary infection.</p> <p>Presence of HIV-1 RNA in the plasma of patients without antibodies to HIV-1 is indicative of acute or primary HIV-1 infection.</p> <p>May also be used as an additional test, when it is reactive, to confirm HIV-1 infection in an individual whose specimen is repeatedly reactive for HIV-1 antibodies.</p> <p>Test employed: FDA-approved, commercially available test kit: Gen-Probe Aptima HIV-1 RNA Qualitative Assay.</p> <p>Reference Range: Not Detected</p>	<p>Minimum of 3 ml plasma (frozen) or serum</p> <p>Centrifuge at room temperature according to tube manufacturer guidelines within separation times below:</p> <p>PPT Tubes: Centrifuge immediately or within 2 hours of collection at 1100 x g for 10 minutes minimum.</p> <p>EDTA Plasma: Store blood at 25°C until centrifuged. Centrifuge at ≤1300 x g for 10 minutes within 4 hours of blood collection. Ship frozen if transport longer than overnight delivery.</p> <p>Serum Tubes: Allow blood to clot in upright position for 30-60 minutes before centrifugation. If transferring to secondary tube, indicate "serum" on plastic screw-cap tube for transport.</p>	<p>Ship frozen (-20° or colder) if transport longer than same day or overnight delivery.</p> <p>Store refrigerated (2-8°C) for same day or overnight delivery. If transport longer than overnight, aliquot plasma, freeze at -70°C, then ship frozen on dry ice. Store plasma frozen (-70° or colder).</p> <p>Use 2+ lbs. dry ice per day of transport.</p> <p>Recommended: Ship on 6 lbs. dry ice in case of shipment delay.</p>	<p>FDA approved for molecular diagnosis of acute and primary HIV-1</p> <p>Not intended for use in screening blood or plasma donors</p>	<p>5 business days</p>

Shipping Address: 9100 Brookville Road, BLDG 508, Silver Spring, MD 20910

• Tel: 301-319-3123 • Fax: 301-319-3502